



72T Double Tw in Flex Gear Ratchet Wrench

Tw in Flex Gear Ratchet Wrench, breaking the limited of the traditional flexible wrench, twin section of the Tw in Flex Gear Ratchet Wrench provides two 180-degree +180 degrees, equivalent to a 360-degree angle of the maximum facilities. It can be very effective operation on small facilities and in narrow space. The use of performance can play a ratchet wrench; you can easily achieve the purpose of the work.

72T



Material: CR-V 6140

Teeth: 72T

Surface Finishment: Mirror/Matt/Micro Satin

CWF3D-72TSH0810	8 x 10	CWF3D-72TSH005160308	5/16 x 3/8	195.5	6.62 x 7.88	/ CR-V 6140
CWF3D-72TSH1012	10 x 12	-	-	220	7.88 x 8.52	/ CR-V 6140
CWF3D-72TSH1113	11 x 13	CWF3D-72TSH07160102	7/16 x 1/2	226	8.27 x 9.14	/ CR-V 6140
CWF3D-72TSH1214	12 x 14	CWF3D-72TSH001020916	1/2 x 9/16	245.5	8.52 x 9.52	/ CR-V 6140
CWF3D-72TSH1315	13 x 15	-	-	246.5	9.14 x 10.17	/ CR-V 6140
CWF3D-72TSH1416	14 x 16	CWF3D-72TSH009160508	9/16 x 5/8	269	9.52 x 10.87	/ CR-V 6140
CWF3D-72TSH1618	16 x 18	-	-	289	10.87 x 11.33	/ CR-V 6140
CWF3D-72TSH1719	17 x 19	CWF3D-72TSH011160304	11/16 x 3/4	289	11.12 x 12.56	/ CR-V 6140

72T Extra long Double Tw in Flex Gear Ratchet Wrench

72T



Material: CR-V 6140

Teeth: 72T

Surface Finishment: Mirror/Matt/Micro Satin

CWF3DEL-72TSH0810	8 x 10	CWF3DEL-72TSH005160308	5/16 x 3/8	264	6.62 x 7.88	/ CR-V 6140
CWF3DEL-72TSH1012	10 x 12	-	-	339	7.88 x 8.52	/ CR-V 6140
CWF3DEL-72TSH1113	11 x 13	CWF3DEL-72TSH07160102	7/16 x 1/2	345	8.27 x 9.14	/ CR-V 6140
CWF3DEL-72TSH1214	12 x 14	CWF3DEL-72TSH001020916	1/2 x 9/16	374	8.52 x 9.52	/ CR-V 6140
CWF3DEL-72TSH1315	13 x 15	-	-	375	9.14 x 10.17	/ CR-V 6140
CWF3DEL-72TSH1416	14 x 16	CWF3DEL-72TSH009160508	9/16 x 5/8	412	9.52 x 10.87	/ CR-V 6140
CWF3DEL-72TSH1618	16 x 18	-	-	456	10.87 x 11.33	/ CR-V 6140
CWF3DEL-72TSH1719	17 x 19	CWF3DEL-72TSH011160304	11/16 x 3/4	456	11.12 x 12.56	/ CR-V 6140

